



t H h 3H : J 23 k l`

+ IC9: ` b ' (

O1 N6 3 %& BCD ; e-NVM <=>?

k | F K CD 4 H 600V/1700V IGBT 0.25

Scalable BCD ^ 6 M u &• ; /

_O O ; LED) g; LED U; O KO | (HI f

{ [D

+ pql { +PQk | H| - + } \$

u + <q | IC9: k @ ^{ OF

67_` P• 16V ^{ xysO1 /9

_ ' (NXf _` xy+PQb ' (

<# ! =>?@ABC

\$ ` (WX;

H q HI c l` I i ^F l` }

57 R V ` a + l` } \$ G _

` + d + de hi X + 8c u i j hi X

` (xS k ; 9: ; K >? 5-8

f_ 5 _ 350r 8hi X_` + 9 l`

s 2000 2002 8 l` +

` (WX; H q HI l` s 2003 +6 f_ 9

s 2006 G STATS Chi pPAC ^{ H ` (s 2007 +8

f_ 9 s 2009 W_ 8 7 X ; ; /

c f_ 2011 [DE 9 [v

WX9 9:

<# ! " D4@ABC



+ xS
k ` (. ` s i j k ` s uc5 s ; K c
A ' (PQ q + PQb , T k ' (
8cI i 6 xS k I ` 11 6 _ K 3.5
8 _ +PQb k ' (U

www.csmc.com.cn

EFGHI

! =>?@ABC

(+86-510) 8580 7123-2716
(+86) 1586 1580 806
(+86-510) 8580 4647
wudn@crmicro.com

! " D4@ABC

(+86-510) 8811 5064
(+86) 1396 1855 032
(+86-510) 8811 5555 ext. 5604
jiangy@csmc.crmicro.com

China Resources Microelectronics Limited

4003-4005 Room 4003-4005, China Resources Building, 26 Harbour Road, Wanchai, Hong Kong
Fax (852) 2299 9300 Website: www.crmicro.com

Tel (852) 2299 9188